

WORLD^{of}ORAC

newsmagazine for the interior professional

MP006 - Nr. 5, 01/2007

30 years
COLLECTION

ORAC INNOVATIONS 2007



L600, SX104

IL003 in SX118



C358, SX104

ORAC Myline lighting



Ref.:

MP007-001 OM NL-FR-EN-DU

MP007-002 OM SP-IT-PORT

MP007-003 OM RU-PO


ORAC LIGHTING SYSTEMS



C357

Technical diagrams and photographs of three ORAC lighting systems:

- ORAC Decor C902:** The diagram shows a cross-section with dimensions: 10 cm for the top width, 8.3 cm for the depth of the light plate, and 5 cm for the bottom width. The photograph shows a recessed ceiling light fixture.
- ORAC Myline C357:** The diagram shows a cross-section with dimensions: 15 à 20 cm for the total depth, 7.3 cm for the bottom width, and 11 cm for the depth of the light plate. The photograph shows a recessed ceiling light fixture.
- ORAC Myline C358:** The diagram shows a cross-section with dimensions: 15 à 20 cm for the total depth, 7.3 cm for the bottom width, and 14 cm for the depth of the light plate. The photograph shows a recessed ceiling light fixture.



IL001-004
light plate 2230 mm
dimmable - T5 2x28W

IL001-002
light plate 550 mm
dimmable - T5 1x14W

technical information in
USER MANUAL and on
www.oracdecor.com.
lamps not supplied by ORAC.

IL000-001: 5 x plexi cover for C357, 100 cm
IL000-002: 5 x plexi cover for C358, 100 cm



ADHESIVES

IL003 LED



IL003-001
set of 5 LED inserts, 1W
Ø4cm x 9mm + convertor

IL003-002
power converter
max 40 units

IL003-003
extension cable
5 x (1+2+3m)

IL003-004
multi-connector
5 x Y-connector

IL003 in SX18



FDP500
310 ml
7 à 8 m

FDP600
2700 ml
± 48 m

DecoFix Pro


Extra strong installation adhesive



FDP800
310 ml
7 à 8 m

DecoFix 2in1

Installation adhesive and filler




FDP700
290 ml
7 à 8 m

DecoFix Hydro

Installation adhesive and filler
for exterior applications

USER MANUAL

Ref.: MP011
15x18cm, 24 pages
full color pictures / english



FX200
310 ml
± 150 m

FX210
80 ml
± 40 m

DecoFix Extra

Joint adhesive

VARIOUS



C360, P5050



C322, SX118, PX147

ORAC Decor
cornice moulding XS
L: 200cm



C250/C250F



ORAC myline
cornice moulding
L: 200cm



C360/C360F

ORAC Axxent
panel moulding
L: 200cm



PX147 L: 200cm



SX.105 FLEX
SX.118 FLEX
available



ORAC
CORPORATION

nv ORAC sa
Oudenburgsesteenweg 90
B-8400 Oostende
Tel: +32 (0)59-803 252
Fax: +32 (0)59-802 810
sales@oracdecor.com

ORAC Nederland
Tel: 0800-022 2125
Fax: 0800-022 2138
nederland@oracdecor.com

ORAC France
Tél: 0800-900 358
Fax: 003259-802 810
france@oracdecor.com

ORAC Deutschland
Tel: 0800-181 3694
Fax: 003259-802 810
deutschland@oracdecor.com

ORAC (UK) Ltd.
Elmbridge Road Unit 5
Hewitts Industrial Estate
Cranleigh, Surrey
GU6 8LW - United Kingdom
Tel: 01483-271 211
Fax: 01483-278 317
uk@oracdecor.com

beurzen/salons/tradefairs/Messen 2007

Buildstore (permanent exhibition)	Swindon (UK)	from January 2007 on
Heimtex	Frankfurt (D)	10/1 - 13/1
Bau	München (D)	15/1 - 20/1
DMG	Houten (NL)	28/1 - 29/1
Intirio	Gent (B)	4/2 - 7/2
Bouwbeurs	Utrecht (NL)	5/2 - 10/2
SGA/afbouwbeurs	Hardenberg (NL)	6/3 - 8/3
Couleurs	Paris (F)	15/3 - 17/3
Homebuilding and renovating show	Birmingham	22/3 - 25/3
Farbe	Köln (D)	18/4 - 21/4
Mega-Messe	Hamburg (D)	4/5 - 5/5
Construmat	Barcelona (E)	14/5 - 19/5
Architect@work	Kortrijk (B)	10/5 - 11/5
SGA/afbouwbeurs	Gorinchem (NL)	30/10 - 1/11
Batimat	Paris (F)	5/11 - 10/11



This leaflet and the designs embodied within are protected by copyright law and international treaties. Unauthorized reproduction of the leaflet or any portion of it or reproduction of any of the designs embodied therein may result in severe civil and criminal penalties and will be prosecuted to the maximum. All rights reserved. ©2007, ORAC n.v., Ostend, Belgium. Layout: FABworks.be